



# NEW ZVEZDA BRAND

20.05.2020.

## NOVI ZVEZDA BRAND

- We live in a world of changes, constantly making progress in our development. We respect the tradition and appreciate the great contribution of those who, with their work, will, skills and vision, made indelible traces on our way and left an invaluable inheritance. Being granted with plenty of good legacies, we have accepted the responsibility to preserve the best of created, giving our best in creating the future at the same time.
- Inspired by the optimism of people who created the history, tradition, and specificity of Zvezda and Duga brands, empowered by the knowledge and experience of our experts in development, sales and marketing, the strength of the Group we belong to, two brands with a long tradition, recognizable quality, and significant market position, we have integrated into one: modern, understandable, clean and elegant, new Zvezda brand.
- Creating new chapter in Zvezda's history, under umbrella brand Zvezda we have included sub-brands. Mostly we retained names of Duga brands, to maintain recognizable trademarks and to classify Zvezda and Duga products within sub-brands, always putting quality in the first place.



## NEW ZVEZDA LOGO

# ZVEZDA

- Straight lines reveal purity, clarity, simplicity, safeness
- Brush stroke refers to a strong connection to main activity and additional support
- The direction is dynamic, the line leads to growth, development, it is the line of success
- The brush stroke presents a light hand stroke, bringing pleasant lightness to the logotype
- The colour of the brush stroke is various and complies with sub-brand colours



## **ZVEZDA SUB-BRANDS**

• Zvezda umbrella brand now integrates 8 sub-brands: Durlin, Nitro, Dekorin, Lignoluks, Zvezdapol, Fasakril, Betakol, Palas.

#### Durlin

Primers, enamels for wood and metal, coatings for special purposes.

#### Nitro

Transparent and opaque nitro based coatings for wood and metal.

#### Dekorin

Wood stain, emphases natural wood structure and beauty.

#### **Betakol**

Coatings for protection and decoration of concrete and natural stone surfaces.

## Lignoluks

Parquet adhesives, primers, fillers, and polyurethane and aqua lacquers.

#### Zvezdapol

Interior wall paint, putties for manual and machine application.

## Fasakril

Façade paints, mortars, adhesives; Insulation systems EPS and MW.

#### Palas

Adhesive for floor and wall tiles for indoor and outdoor use.



## **NEW PACKAGING**

- Reliable in its style, transparent and focused on product purpose
- Clearly highlighted name of sub-brand and brand
- Pictograms provide fast information about characteristics and product application
- Additional mark with a highlighted number which indicates the order of the exact product in the protection system and the type of surface on which it is applied.
- Simple access to the web page by QR code scanning
- Sub-brand are differentiated by colours, on the top is a graphical surface that should be protected, on the bottom is the dominant colour of the sub-brand with photography of object, interior or exterior surface, which makes aesthetic note of packaging complete.





## HOW TO READ PACKAGING MARKS





The order of the product in the system, in this case  $4^{th}$  product in the row..



Mark for the average coverage per packaging, in this case, 100m<sup>2</sup>.



Product can be tinted with HGMIX system.



Product is eco friendly.



Pattern, illustration of the surface that product should be applied on, in this case for interior wall.



QR code, simple access to the web page www.zvezda-deco.com.

6



# DEKORIN Wood stain

DEKORIN wood stains emphasize the natural texture of wood and are used for complete transparent protection and decoration of wooden joinery, windows, doors, timber wall cladding, beams, roof structure, garden furniture, fences and awnings, etc.



THE STAR IN YOUR HOME.

7

## **ZVEZDA DEKORIN**

#### ASSORTMENT

- Dekorin Impregnation
- Dekorin Wood Stain
- Dekorin TOP Wood Stain
- Dekorin Boat Varnish





8

## **ZVEZDA DEKORIN**





- For preventive protection of putrefaction and decaying
- Penetrates deeply into the wood and impregnates the surface
- Packaging: 750 ml; 5 l



#### **DEKORIN WOOD STAIN**

- Transparent, thin-layered stain for wooden surface
- 11 shades, in compliance with DEKORIN TOP Wood Stain
- Packaging: 750 ml; 5 l



#### **DEKORIN BOAT VARNISH**

- Transparent high-gloss varnish for wooden surfaces
- Protects from water, weather and mechanical impacts
- Packaging: 750 ml; 5 l

## **ZVEZDA DEKORIN**

#### **DEKORIN TOP WOOD STAIN**

- High gloss and high elasticity transparent coating
- For decoration and protection of interior and exterior wooden surfaces
- Enhances natural texture of wood
- Contains waxes, which enhance the coating's water repellency
- Weather-resistant
- Protects from UV radiation
- 11 standard shades
- Packaging: 750 ml; 5 l







# DURLIN Coatings for wood and metal

DURLIN products are used for basic and opaque protection and decoration of wood and metal surfaces. Since opaque coatings hide wood texture, they are usually used for the less noble types of wood as well as to protect damaged surfaces, while they give a special decorative note to metal surfaces.







#### ASSORTMENT

- Durlin Wood primer
- Durlin Metal primer
- Durlin Anti-Corrosion Primer
- Durlin Enamel for wood and metal
- Durlin Enamel for radiators
- Durlin Enamel 3/1
- Durlin Antique enamel
- Durlin Bronze 500°C
- Durlin Wash Primer
- Durlin Antirust
- Durlin Linseed oil finish
- Durlin Linseed oil Art
- Durlin Turpentine Art
- Durlin Polyester set
- Durlin Oil solvent











#### **DURLIN WOOD PRIMER**

- Primer for wooden surface protection
- Eliminates the effects of substrate while ensuring extremely smooth surface
- Packaging: 750 ml; 5 l

#### **DURLIN METAL PRIMER**

- Anti-corrosion primer coating for protection of metal surfaces
- Provides long-term protection against corrosion, easy to apply
- Grey, oxide red, black
- Packaging: 750 ml; 5 l

#### **DURLIN ANTI-CORROSION PRIMER**

- Anti-corrosion primer for metal surfaces protection
- Dries fast, provides long-term protect against corrosion
- Packaging: 1 kg; 7 kg



#### DURLIN ENAMEL FOR WOOD AND METAL

- Universal high-gloss coating
- For protection and decoration of interior and exterior metal and wooden surfaces
- Provides good anti-corrosion protection
- Weather-resistant
- 15 standard shades, white and black matt
- Packaging: 200 ml; 750 ml; 5 l







#### **DURLIN ANTIQUE ENAMEL**

- Opaque coating for protection and decoration of interior and exterior metal surfaces
- Gives an effect of old cast iron
- Provides good anti-corrosion protection
- Used alone or in a system with DURLIN Metal primer.
- 4 standard shades
- Packaging: 1 kg








#### **DURLIN ENAMEL 3/1**

- Universal coating
- For protection and decoration of interior and exterior metal surfaces
- Simultaneously replaces the anticorrosive agent, the primer and the topcoat
- Based on modified alkyd, pigments, fillers corrosion inhibitors and additives
- Dries fast
- 10 standard shades + 2 antique shades
- Packaging: 750 ml; 5 l







# NITRO Coating for wood and metal

A tradition that lasts for centuries shows how important these coatings are in the paint and varnish industry. Nitro coatings provide a firm and elastic film that can be polished to a high gloss. They adhere well to the surface and provide long-term anticorrosion protection on metal surfaces. Nitrocellulose varnishes increase the hydrophobicity of wooden surfaces and provide the desired level of gloss.

#### ASSORTMENT

- Nitro Wood primer
- Nitro Metal primer
- Nitro Enamel
- Nitro Effect varnish

- Nitro Stain
- Nitro Primer varnish
- Nitro Finish varnish
- Nitro Thinner





#### **NITRO STAIN**

- Transparent pigmented preparation for basic colouring of wooden surfaces
- Uniformly emphasizes wood structure

Brown

D 579

- Dries fast
- Adjusting the intensity of the shade and the accessories cleaning is done with NITRO Thinner
- It is used in system with NITRO Varnishes, DEKORIN TOP Wood Stain or LIGNOLUKS PU lacquers

Cherry

Oak D 363 Oak P-43

Mahogany

Cognac

- 12 standard shades
- Packaging: 1 |







#### NITRO WOOD PRIMER

- Primer coating for wood protection
- Dries fast, smooths any bumps and dents in the wood
- Packaging: 750 ml; 5 l



#### NITRO METAL PRIMER

- Anti-corrosion primer coating for protection of metal surfaces
- Dries fast, provides long-term anti-corrosion protection
- Packaging: 750 ml; 5 l



#### NITRO PRIMER VARNISH

- Primer varnish for protection of wooden surface
- Provides an elastic film, enhances surface hydrophobicity
- Packaging: 750 ml; 5 l



#### **NITRO FINISH VARNISH**

- Colourless one component coating for protection and decoration of wood surfaces
- Convenient when high mechanical resistance is not required
- Dries fast
- Glossy; semi-matte; matte
- Packaging: Gloss: 750 ml; 5 l Semi-matte: 750 ml Matte: 750 ml



#### NITRO ENAMEL

- Universal coating
- For protection and decoration of interior metal and wooden surfaces, as well as exterior surfaces that are not directly exposed to atmospheric influences
- Dries fast
- 15 standard shades, white and black matte
- Packaging: 750 ml; 5 l







#### NITRO EFFECT VARNISH

- Top coating for protection and decoration of interior and exterior metal surfaces
- Provides special decorative effect of wrought iron (hammer effect)
- Dries fast
- Used alone or in a system with NITRO Metal primer
- 10 standard shades
- Packaging: 750 ml







## BETAKOL Coatings for concrete

ZVEZDA

Thanks to a long-lasting tradition and quality, BETAKOL has become a synonym for coatings for concrete protection and decoration. Recommended for terraces, garages, balconies, basements, and other concrete surfaces that are exposed to moderate mechanical impact.

## ZVEZDA BETAKOL

#### ASORTIMAN

- Betakol Concrete Paint
- Betakol Stone varnish
- Betakol Thinner





## ZVEZDA BETAKOL

#### **BETAKOL CONCRETE PAINT**

- For painting horizontal concrete surfaces in interior and exterior
- Gives the surface a silky gloss
- Easy to apply, excellent covering power
- Good surface adhesion
- · Resistant to weather and moderate wear
- Easy to clean
- 12 standard shades
- Packaging: 750 ml; 5 l; 25 kg







# LIGNOLUKS Parquet lacquers and adhesives

7VF7DA

A beautiful and persistent parquet look can be provided only by a quality system of protection. What makes LIGNOLUKS unique is top quality and excellent visual effect. For achieving the desired effect and getting a product in its best quality professional and right usage is required.

#### ASSORTMENT

- Lignoluks Parquet adhesive STANDARD
- Lignoluks PUR primer
- Lignoluks Parquet adhesive PU 101
- Lignoluks Parquet filler
- Lignoluks Acrylic stain
- Lignoluks Urethane parquet lacquer
- Lignoluks Parquet lacquer 1K primer
- Lignoluks Parquet lacquer 2K primer
- Lignoluks Parquet lacquer
  2K high gloss CLASSIC
- Lignoluks Parquet lacquer
  2K high gloss EXTRA
- Lignoluks Parquet lacquer 2K semi matte EXTRA
- Lignoluks Aqua parquet lacquer primer
- Lignoluks Aqua parquet lacquer 1K
- Lignoluks Aqua parquet lacquer 2K

















#### LIGNOLUKS ACRYLIC STAIN

- Transparent pigmented preparation for basic coloring of wooden surfaces
- Intensely emphasizes the structure of the wood
- Used in a system with NITRO Varnish, DEKORIN TOP Wood Stain - colourless or LIGNOLUKS polyurethane lacquers.
- 7 standard shades
- Packaging: 750 ml







#### LIGNOLUKS PARQUET ADHESIVE STANDARD

- Adhesive based on polyvinyl acetate dispersion, fillers and additives
- For adhesion of standard parquet of smaller dimensions
- Eco friendly
- Consumption: 1.0 1.2 kg/m<sup>2</sup>
- Packaging: 5 kg; 25kg







#### LIGNOLUKS PUR PRIMER

- One-component impregnation for fixing absorbing concrete surfaces.
- Decrease substrate absorption
- Can be used alone for the protection of surfaces exposed to wear and chemical impact
- Consumption: 0.18 0.23 l/m<sup>2</sup>
- Packaging: 4.5 kg



#### LIGNOLUKS PARQUET ADHESIVE PU 101

- Two-component polyurethane adhesive
- For laying of all kind of parquet
- Recommended when permanent elasticity is required
- Resistant to moisture and high mechanical impact
- Does not contain water, solvents, harmful amines
- Consumption: 0.9 -1.2 kg/m<sup>2</sup>
- Packaging: 6.6 kg; 14.3 kg





### LIGNOLUKS PARQUET FILLER

- For filling parquet fugues and smaller damages in order to obtain monolithic surface
- Easy to apply and to grind
- Excellent visual appearance
- Reduces consumption of parquet varnish
- Consumption: ~ 0.1 kg/m<sup>2</sup>
- Packaging: 0.9 kg; 4 kg; 10 kg









- For parquet preparation before applying finish parquet lacquers
- · Fills wood pores, making even surface
- Packaging: 1 l; 5 l; 10 l



### LIGNOLUKS PARQUET LACQUER 2K PRIMER

- For parquet preparation before applying finish parquet lacquers
- Fills wood pores, making even surface
- Packaging: 1 | + 1 |; 5 | + 5 |



#### LIGNOLUKS AQUA PARQUET LACQUER PRIMER

- For parquet preparation before applying finish aqua parquet lacquers
- Doesn't change natural colour of wood
- Packaging: 1 l; 5 l





#### LIGNOLUKS URETHAN LACQUER

- One-component polyurethane coating
- For varnishing all types of wooden floors
- Exceptional resistance to wear and cleaning agents
- High and durable gloss
- Consumption: 9 12 m<sup>2</sup>/l, in one layer
- Packaging: 750 ml; 5 l





#### LIGNOLUKS PARQUET LACQUER 2K HIGH GLOSS CLASSIC

- Two-component polyurethane lacquer
- For varnishing all types of wooden floors in interior
- Provides long-lasting protection
- Resistant to wear, water and chemical agents
- Excellent surface hardness
- High and durable gloss
- Consumption: ~ 0.1 l/m<sup>2</sup>, in one layer
- Packaging: 1 | + 1 |; 5 | + 5 |; 20 | + 20 |



#### LIGNOLUKS PARQUET LACQUER 2K HIGH GLOSS EXTRA

- Two-component polyurethane lacquer
- For varnishing all types of wooden floors in interior
- Provides long lasting protection
- Resistant to wear, water and chemical agents
- Excellent surface hardness
- High and durable gloss
- Consumption: ~ 0.1 l/m<sup>2</sup>, in one layer
- Packaging: 1 | + 1 |; 5 | + 5 |; 20 | + 20 |





#### LIGNOLUKS PARQUET LACQUER 2K SEMI MATTE EXTRA

- Two-component polyurethane lacquer
- For varnishing all types of wooden floors in interior
- Provides long lasting protection
- Resistant to wear, water and chemical agents
- Excellent surface hardness
- Silky/ semi-matte gloss
- Consumption: ~ 0.1 l/m<sup>2</sup>, in one layer
- Packaging: 1.5 | + 1.5 |; 5 | + 5 |





#### LIGNOLUKS AQUA PARQUET LACQUER 1K

- One component, polyurethane water-based lacquer
- For varnishing all types of wooden floors
- Eco friendly
- Without unpleasant odor
- Keeps the natural colour of the wood
- Accelerates work due to short interlayer waiting time
- High, semi-matte gloss
- Consumption: ~ 0.1 l/m<sup>2</sup>, in one layer
- Packaging: 1 l; 5 l





#### LIGNOLUKS AQUA PARQUET LACQUER 2K

- Two-component, polyurethane water-based lacquer
- For varnishing all types of wooden floors
- Eco friendly
- Without unpleasant odor
- Keeps the natural colour of the wood
- Accelerates work due to short interlayer waiting time
- High, semi-matte and matte gloss
- Consumption: ~ 0.1 l/m<sup>2</sup>, in one layer
- Packaging: 5 | + 0.5 |





# ZVEZDAPOL Protection and decoration of Interior walls

Proven quality, numerous references over the years, new products, describe ZVEZDAPOL - a brand of safe solutions for your indoor projects. Includes putties designed for manual or machine application and wall paints in several thousand shades available on HGMIX system.

#### ASSORTMENT

- Zvezdapol PUTTY 3/1
- Zvezdapol Levelling compound for manual application
- Zvezdapol Ready to use PUTTY
- Zvezdapol Interior wall paint
- Zvezdapol Interior washable wall paint







#### **ZVEZDAPOL PUTTY 3/1**

- Polymer-carbonate powder compound for leveling interior surfaces
- Doesn't require impregnation after putty application
- Does NOT contain lime
- For manual and machine application
- Exceptional whiteness
- Easy to prepare and to apply: right after preparation ready to use
- Layer thickness up to 5 mm
- Consumption: 0.5 1.5 kg/m<sup>2</sup>
- Packaging: 25 kg





### ZVEZDAPOL LEVELING COMPOUND FOR MANUAL APPLICATION

- Polymer-lime powder compound for leveling interior surfaces
- New improved formula
- Contains lime
- Exceptional whiteness
- Easy to prepare and to apply right after preparation, ready to use
- Layer thickness up to 5 mm
- Consumption: 1.0 1.5 kg/m2
- Packaging: 5 kg; 25 kg



### **ZVEZDAPOL READY TO USE PUTTY**

- Dispersive leveling compound for interior usage
- Ready to use
- Excellent adhesion to all sort of mineral surfaces
- Elastic and easy to apply
- Exceptional whiteness
- Ideal as a primer for applying all types of dispersion paints
- For manual and machine application
- Consumption: 1.5 2.0 kg/m<sup>2</sup>
- Packaging: 25 kg







#### **ZVEZDAPOL INTERIOR WALL PAINT**

- Dispersive paint for protection and decoration of interior surfaces
- Excellent coverage
- High vapor permeability
- Exceptional whiteness
- Resistance to dry cleaning
- White, tinting with HGMIX
- Consumption: 0.2 0.3 kg/m<sup>2</sup>, in two layers
- Packaging: 3 kg; 5 kg; 8 kg; 15 kg; 25 kg



#### ZVEZDAPOL INTERIOR WASHABLE WALL PAINT

- High quality dispersive paint for protection and decoration interior surfaces
- Exceptional coverage
- Vapor permeability
- Exceptional whiteness
- Resistant to wet cleaning class 3
- B1, B2 and B3 base, tinting with HG MIX
- Consumption: 120 180 ml/m<sup>2</sup>, in two layers
- Packaging: 2 l; 5 l; 10 l; 15 l





# FASAKRIL Protection and decoration of exterior walls

FASAKRIL integrates products for thermal insulation protection and façade decoration. The thermal insulation system protects your home from weather effects and at the same time saves energy and improves the quality of life. As the final protective and decorative element, we prepared various paints, water and solventbased, which are adapted to various temperature conditions.

#### ASSORTMENT

- Fasakril Wall and facade paint (solvent-based)
- Fasakril Wall and facade paint thinner
- Fasakril Wall and facade paint (water-based)
- Fasakril Impregnation EXTRA 1:8
- Fasakril Adhesive for EPS basic PRIME
- Fasakril Adhesive for EPS and mash reinforcement universal UNI
- Fasakril Adhesive for mineral wool MW
- Fasakril Plaster undercoat GRUND
- Fasakril Acrylic plaster
- Fasakril Silicone plaster
- Fasakril Decorative mosaic KULIR emulsion













#### **FASAKRIL IMPREGNATION 1:8 EXTRA**

- Water-based acrylic dispersion
- For impregnation and hardening of different mineral substrates in interior and exterior
- Reduces the porosity of wall surfaces
- Provides uniform, less absorbing painted surfaces
- Improves adherence of the finish coatings
- Consumption: 20 30 g/m<sup>2</sup>
- Packaging: 0.8 kg; 10 kg





# FASAKRIL WALL AND FAÇADE PAINT water-based

- High quality dispersive paint for protection and decoration of façade surfaces
- Exceptional coverage
- Excellent adhesion to the surface
- Exceptional whiteness
- Vapor permeable
- Waterproof, resistant to weather effects and UV light
- Tinting with HGMIX
- Consumption: 150 200 ml/m<sup>2</sup>, in two layers
- Packaging: 2 l; 5 l; 15 l





# FASAKRIL WALL AND FAÇADE PAINT solvent-based

- High quality acrylic paint for protection and decoration façade surfaces
- White matte
- Suitable for walls in the interior that are exposed to vapors and with high moisture
- Excellent adhesion to the surface
- Waterproof, resistant to weather, alkalis, salts and industrial gases
- Applicable from -20°C to + 40°C.
- Consumption: 6 8 m<sup>2</sup>/l; 4 6 m<sup>2</sup>/kg
- Packaging: 750 ml; 5 l; 25 kg





#### FASAKRIL PRIME ADHESIVE

- Polymer and cement-based adhesive
- For fixing thermal insulation EPS boards in interior and exterior
- Vapor permeable
- Easy to apply
- Consumption: 4 5 kg/m<sup>2</sup> for adhesion
- Packaging: 25 kg



#### FASAKRIL UNI ADHESIVE

- Polymer and cement-based adhesive
- For fixing thermal insulation EPS boards and reinforcement of mesh in thermal insulation systems
- Flexible
- Vapor permeable
- Exceptional adhesive characteristic
- Consumption:
  - 4 5 kg/m<sup>2</sup> for adhesion;
  - 5 7 kg/m<sup>2</sup> for reinforcement
- Packaging: 25 kg

ZVEZDA <b>Fasakril</b> Lepak za lepljenje stiropora i armiranje mrežice <b>UNI</b>	
25kg 25kg № № № № № № № № № № № № №	





#### FASAKRIL MW ADHESIVE

- Polymer, cement and additive based adhesive
- For fixing MW, EPS boards and reinforcement of mesh in thermal insulation systems
- High flexibility
- Vapor permeable
- Exceptional adhesive characteristic
- Consumption:
  - 4 5 kg/m<sup>2</sup> for adhesion EPS boards;
  - 5 7 kg/m<sup>2</sup> for adhesion MW boards;
  - 5 7 kg/m<sup>2</sup> for adhesion and reinforcement
- Packaging: 25 kg



#### FASKRIL GRUND

- Universal and rough impregnation
- Impregnation for plasters
- To impregnate the walls in interior and exterior
- Makes the absorption and texture of the surface uniform
- Ensures good adhesion with the substrate
- Provides firm bond and uniform shade uniform of topcoat
- White, tinting with HGMIX
- Consumption: 0.20 0.25 kg/m<sup>2</sup>
- Packaging: 8 kg; 25 kg





#### **FASAKRIL ACRYLIC PLASTER**

- Acrylate based decorative plaster
- To protect and decorate the walls in interior and exterior
- 2 structures: smooth Z and ribbed R
- 2 granulation 1,5 mm and 2 mm
- Water repellent and vapor permeable
- Weather-resistant
- White, tinting with HGMIX
- Consumption: Granulate 1.5 mm ~ 2.5 kg/m<sup>2</sup>; Granulate 2.0 mm ~ 3.0 kg/m<sup>2</sup>
- Packaging: 25 kg





### **FASAKRIL SILICONE PLASTER**

- Acrylate and silicone based decorative plaster
- To protect and decorate the walls in interior and exterior
- 2 structures: smooth Z and ribbed R
- 2 granulation 1,5 mm and 2 mm
- Exceptional water repellence, vapor permeability
- Weather-resistant
- White, tinting with HGMIX
- Consumption: Granulate 1.5 mm ~ 2.5 kg/m<sup>2</sup>; Granulate 2.0 mm ~ 3.0 kg/m<sup>2</sup>
- Packaging: 25 kg

7VF7D/



#### FASAKRIL KULIR – DECORATIVE MOSAIC

- Decorative plaster based on acrylate and multicolored marble granulate
- To protect and decorate the walls in interior and exterior
- Ensures good adhesion with the substrate
- High mechanical hardness
- Water-repellent
- Weather-resistant
- ZVEZDA Kulir color card
- Consumption: 4 4.5 kg/m<sup>2</sup>
- Packaging: 25 kg





# PALAS Tile adhesives

PALAS adhesives are adjusted to different ways of applying. Their diversity fulfills different standard requests. Optimal results are easy to achieve with wise choice, simple application and excellent adhesive quality.



THE STAR IN YOUR HOME. 66

#### ASSORTMENT

- Palas Interior tile adhesive TERRA
- Palas Interior and exterior tile adhesive ULTRA
- Palas Flexibile tile adhesive FLEXO







#### PALAS TILE ADHESIVE TERRA

- For interior usage for wall and floor tile adhesion
- Cement-based (C)
- STANDARD (1)
- Class C1 (EN 12004)
- High stability and hardness
- Excellent adherence to the substrate
- Consumption: 2.5 3.5 kg/ m<sup>2</sup>
- Packaging: 25 kg



### PALAS TILE ADHESIVE ULTRA

- For adhesion of wall and floor ceramic tiles in interior and exterior usage
- Cement-based (C)
- Standard (1)
- Slip resistance on vertical surfaces (T)
- CLASS C1T (EN 12004)
- High adherence and hardness
- Consumption: 2.5 3.5 kg/ m<sup>2</sup>
- Packaging: 25 kg







### PALAS TILE ADHESIVE FLEXO

- For flexible adhesion of wall and floor tiles in interior and exterior usage
- Cement and polymer based (C)
- Advanced (2)
- Slip resistance (T)
- Extended open time (E)
- CLASS C2TE (EN 12004)
- Resistance to moisture and frost
- High adherence and hardness
- Suitable for tile tile adhesion
- Consumption: 2.5 3.5 kg/ m<sup>2</sup>
- Packaging: 25 kg



# Always looking forward to cooperating with you.

Helios Srbija a.d. T: +381 32 771 007 E: dekorativa@helios.rs www.zvezda-deco.com

ZVEZDA

